Hardware and Data

LBSC 690: Jordan Boyd-Graber

September 10, 2012



COLLEGE OF INFORMATION STUDIES

Adapted from Jimmy Lin's Slides

Outline



Introductions





5 How Big and How Fast?



LBSC 690: Jordan Boyd-Graber ()

3

▲□▶ ▲圖▶ ▲厘▶ ▲厘▶

A COMPUTER WANTED.

WASHINGTON, May 1.—A civil service examination will be held May 18 in Washington, and, 1f necessary, in other cities, to secure eligibles for the position of computer in the Nautical Almanac Office, where two vacancies exist—one at \$1,000, the other at \$1,400.

The examination will include the subjects of algebra, geometry, trigonometry, and astronomy. Application blanks may be obtained of the United States Civil Service Commission.

The New York Times

Published: May 2, 1892 Copyright © The New York Times



Hardware and Data

September 10, 2012



Hardware and Data



Hardware and Data

September 10, 2012 6 / 54





Hardware and Data

September 10, 2012 8 / 54



September 10, 2012 9 / 54



(日) (四) (三) (三) (三)

- How is it stored on the server
- How does the information reach your computer
- How do people interact with the webpage
- How do you create a webpage
- How can the webpage interact with large amounts of data
- How can you find the webpage in the Internet
- How can you put multimedia on the webpage
- How can you get computers in front of people

- How is it stored on the server (Week 1)
- How does the information reach your computer (Week 2)
- How do people interact with the webpage (Week 3)
- How do you create a webpage (Week 4-5)
- How can the webpage interact with large amounts of data (Week 7)
- How can you find the webpage in the Internet (Week 8)
- How can you put multimedia on the webpage (Week 9)
- How can you get computers in front of people (Week 10)

3

イロト 不得下 イヨト イヨト

Looking at a Webpage

- How is it stored on the server Hardware - Software
- How does the information reach your computer Computer - Computer
- How do people interact with the webpage Computer - Human
- How do you create a webpage Human - Computer
- How can the webpage interact with large amounts of data Data - Computer
- How can you find the webpage in the Internet Computer - Computer - Human
- How can you put multimedia on the webpage Artist - Viewer
- How can you get computers in front of people
 Money Consumer

LBSC 690: Jordan Boyd-Graber ()

B A B A B A A A

Outline

History

Introductions









LBSC 690: Jordan Boyd-Graber ()

3

▲□▶ ▲圖▶ ▲厘▶ ▲厘▶

Me

- Second year assistant professor
 - iSchool and UMIACS
 - Offices: 2118C Hornbake / 3126 AV Williams
- Second time teaching the class
- Born in Colorado
- Grew up in Iowa (home)
- Went to high school in Arkansas
- Undergrad in California
- Grad school in New Jersey
- Brief jobs in between:
 - Working on electronic dictionary in Berlin
 - Worked on Google Books in New York
- ying / jbg / jordan / boyd-graber

This Course

- Mailing list
- Office hours
- Discussion Points
- Note cards
- Homeworks
- Midterm
- Project
- Grading
- Participation
- Absenses and Accommodation

Do I really need to know this ____?

- Libraries are high-tech places
- Librarians foster IT literacy
- You need to buy and maintain IT systems

Do I really need to know this ____?

- Libraries are high-tech places
- Librarians foster IT literacy
- You need to buy and maintain IT systems

Do I really need to know this ____?

- Libraries are high-tech places
- Librarians foster IT literacy
- You need to buy and maintain IT systems

Ask questions

- In class
- On Piazza
- Office hours

I just started a new job on Monday as a Librarian at the National Archives. I was hired to catalog a special project with the archives and never thought I'd need anything from 690 ... And then on the first day we started talking about the database of objects. When we finally got access to the database, I realized it was entirely a SQL database and had to use everything you taught us last semester to help think of how to run the queries and ask the designer what it is capable of.

I just wanted to share because it's one of those times I never expected to realize how useful your class was.

イロト イポト イヨト イヨト 二日

I actually had a job interview for a professional librarian job this week and it was about digital libraries. They asked me questions about what do I know about IP validation, HTML, servers, etc. Thankfully, fresh out of your class, I was able to say "actually, I know a TON about this stuff! There was a question on our midterm about IP validations and everything!"

Outline



2 Introductions



Networking

5 How Big and How Fast?

6 How Fast?

3

▲□▶ ▲圖▶ ▲厘▶ ▲厘▶



Hardware and Data

September 10, 2012 19 / 54

3

- 4 同 6 4 日 6 4 日 6



C → (日) (10, 2012)
 September 10, 2012
 20 / 54
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 1
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10
 10





Hardware and Data

September 10, 2012 22 / 54

Comparing Memory

- Quantity
- Speed
- Cost
- Volatility
- Physics

3

<ロ> (日) (日) (日) (日) (日)

Outline

History

2 Introductions

3 Computing





6 How Fast?

LBSC 690: Jordan Boyd-Graber ()

3

イロト イポト イヨト イヨト

Why do you want to link computers together?

- Sharing data
- Sharing hardware
- Sharing software
- Increasing robustness
- Facilitating communications
- Facilitating commerce

- ARPANET (Advanced Research Projects Agency)
- Operational in 1969: Sharing data between four universities (UCLA, UCSB, Stanford, Utah)
- Refers to the infrastructure that transfers data (c.f. "Web")
- Next week ... how it works now

Break!

LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012 27 / 54

3

<ロ> (日) (日) (日) (日) (日)

Outline

History

2 Introductions



4 Networking



6 How Fast?

3

<ロ> (日) (日) (日) (日) (日)

Trends in Computing

- Faster
- Cheaper
- Smaller

æ

イロト イヨト イヨト イヨト

Math diversion / refresher

Division

$$\frac{2\cdot 4}{4} = 2 \tag{1}$$

• Exponents $2^3 = 2 \cdot 2 \cdot 2 = 8$

Scientific notation

$$526.6 \cdot 10^3 = 526.6 \cdot 1000 = 526600 \tag{3}$$

LBSC 690: Jordan Boyd-Graber ()

3

(日) (周) (三) (三)

(2)

Math diversion / refresher

Division

$$\frac{2\cdot 4}{4} = 2 \tag{1}$$

• Exponents $2^3 = 2 \cdot 2 \cdot 2 = 8$

Scientific notation

$$526.6 \cdot 10^3 = 526.6 \cdot 1000 = 526600 \tag{3}$$

LBSC 690: Jordan Boyd-Graber ()

3

(日) (周) (三) (三)

(2)

Math diversion / refresher

Division

$$\frac{2\cdot 4}{4} = 2 \tag{1}$$

• Exponents $2^3 = 2 \cdot 2 \cdot 2 = 8$

• Scientific notation

 $526.6 \cdot 10^3 = 526.6 \cdot 1000 = 526600 \tag{3}$

LBSC 690: Jordan Boyd-Graber ()

3

(日) (周) (三) (三)

(2)
Bits, bytes, and why it's important

- You'll likely have to make decisions about computing resources
- Knowing how data converts into megabytes will help you know your needs
- Binary numbers appear in the real world (right)
- At the bottom, everything in the computer is binary



Counting in Binary



LBSC 690: Jordan Boyd-Graber ()

э

How to convert from a binary number

• Write down powers of 2

1 2 4 8 16 32 64 128 256 512 1024 2048 4096 8192 \ldots

How to convert from a binary number

• Write down powers of 2

1 2 4 8 16 32 64 128 256 512 1024 2048 4096 8192 \ldots

- Take a number: 42
- Subtract out the largest power of 2 you can: 32
- You now know your binary number will look like 1XXXXX
- Repeat the process for each remaining bit left to right
 - If you can subtract, it's 1
 - If you can't subtract, it's 0

Power of 2	32	16	8	4	2	1
Remainder	10	10	2	2	0	0
bit	1	0	1	0	1	0

33 / 54

- 0100001 = A
- 01000010 = B
- 01000011 = C
- 01000100 = D
- 01000101 = E
- 01000110 = F
- 01000111 = G
- 01001000 = H
- 01001001 = I
- $01001010\,=\,J$
- 01001011 = K

- 01100001 = a
- 01100010 = b
- 01100011 = c
- 01100100 = d
- 01100101 = e
- 01100110 = f
- 01100111 = g
- 01101000 = h
- 01101001 = i
- 01101010 = j
- 01101011 = k

. . .

. . .

An HTML File <HTML> </HTML>

How it's stored

LBSC 690: Jordan Boyd-Graber ()

3

・ロン ・四 ・ ・ ヨン ・ ヨン

An HTML File <HTML> </HTML> How it's stored 00111100:

LBSC 690: Jordan Boyd-Graber ()

3

- 4 同 6 4 日 6 4 日 6

An HTML File <HTML> </HTML>

How it's stored 00111100:01001000:

LBSC 690: Jordan Boyd-Graber ()

3

- 4 目 ト - 4 日 ト - 4 日 ト

An HTML File

<html> </html>

How it's stored 00111100:01001000:01010100:

LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012 35 / 54

3

< 回 > < 三 > < 三 >

An HTML File <HTML> </HTML>

How it's stored 00111100:01001000:01010100:01001101:

LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012 35 / 54

3

< 回 > < 三 > < 三 >

An HTML File <HTML> </HTML>

How it's stored 00111100:01001000:01010100:01001101: 01001100:

LBSC 690: Jordan Boyd-Graber ()

3

- 4 同 6 4 日 6 4 日 6

An HTML File <HTML> </HTML>

How it's stored 00111100:01001000:01010100:01001101: 01001100:00111110:

LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012 35 / 54

3

- 4 同 6 4 日 6 4 日 6

An HTML File <HTML> </HTML>

How it's stored

00111100:01001000:01010100:01001101: 01001100:00111110:00001010:00111100: 00101111:01001000:01010100:01001101: 01001100:00111110:00001010:00000100

LBSC 690: Jordan Boyd-Graber ()

3

イロト 不得下 イヨト イヨト

An HTML File <HTML> </HTML>

How it's stored

00111100:01001000:01010100:01001101: 01001100:00111110:00001010:00111100: 00101111:01001000:01010100:01001101: 01001100:00111110:00001010:00000100

LBSC 690: Jordan Boyd-Graber ()

3

イロト 不得下 イヨト イヨト

Unit	Abbreviation	Size (bytes)
bit	b	1/8
byte	В	1
kilobyte	KB	

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ = 臣 = のへで

Unit	Abbreviation	Size (bytes)
bit	b	1/8
byte	В	1
kilobyte	KB	$2^{10} = 1,024$
megabyte	MB	$2^{20} = 1,048,576$
gigabyte	GB	$2^{30} = 1,073,741,824$
terabyte	ТВ	$2^{40} = 1,099,511,627,776$
petabyte	РВ	$2^{50} = 1, 125, 899, 906, 842, 624$

3

36 / 54

<ロ> (日) (日) (日) (日) (日)

Outline

History

2 Introductions



4 Networking





LBSC 690: Jordan Boyd-Graber ()

3

<ロ> (日) (日) (日) (日) (日)

The number of components on an integrated circuit will double every 18 months (1965)

3

Microprocessor Transistor Counts 1971-2011 & Moore's Law





LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012

3

40 / 54

- 4 @ > - 4 @ > - 4 @ >

- Speed can be expressed in two ways:
 - How many things can you do in one second?
 - How long to do something once?
- Convenient units are typically used
 - I GHz instead of 1,000,000,000 Hz
 - 10 microseconds rather than 0.00001 seconds
- When comparing measurements, convert units first!

Unit	Abbreviation	Cycles per second
hertz	Hz	1
kilohertz	KHz	$10^3 = 1,000$
megahertz	MHz	$10^6 = 1,000,000$
gigahertz	GHz	$10^9 = 1,000,000,000$

- 2

イロン イヨン イヨン イヨン

- Intel Pentium 2 (2000): 500 MHz
- Intel Celeron (2002): 2.10 GHz
- Intel Pentium 4 (2004): 3.80 GHz
- Intel Core 2 Duo (2008): 2.6 GHz
- Intel Xeon 8 Core (2010): 2.26 GHz

3

・ 同 ト ・ ヨ ト ・ ヨ ト

Unit	Abbreviation	Duration (seconds)
second	S	1
millisecond	ms	$10^{-3} = 1/1000 \; { m s}$
microsecond	μ s	$10^{-6} = 1/1,000,000 \; { m s}$
nanosecond	ns	$10^{-9} = 1/1,000,000,000$ s

(日) (四) (三) (三) (三)

Unit	Abbreviation	Duration (seconds)
second	S	1
millisecond	ms	$10^{-3} = 1/1000 \; { m s}$
microsecond	μ s	$10^{-6} = 1/1,000,000 \; { m s}$
nanosecond	ns	$10^{-9} = 1/1,000,000,000$ s

Light travels 0.3048m in a nanosecond.

3

イロト イヨト イヨト

Example

How long does it take a 1GHZ PC to sum a million numbers?

$$\frac{10^{6} \text{operations}}{10^{9} \frac{\text{operations}}{s}} = 10^{-3} s = 1 \text{ms}$$
(4)

In general ...

$$\frac{A^B}{A^C} = A^{B-C} \tag{5}$$

LBSC 690:	Jordan	Boyd-Grab	er ()
-----------	--------	-----------	-------

3

イロト イポト イヨト イヨト



Typical Access Time: 50ns

LBSC 690: Jordan Boyd-Graber ()

September 10, 2012 46 / 54

<ロ> <四> <四> <四> <三</td>



Typical Access Time: 10ms (200,000x slower than RAM!!!)

LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012 47 / 54

イロト イポト イヨト イヨト

- RAM: Fast and expensive
- HDD: Slow and cheap
- Corollary: People associate the sound of their hard drive with the computer being slow
- How to get the best of both worlds (hint: think of library and your bookshelf)

- Idea: move data youre going to use from slow memory into fast memory
- Slow memory is cheap so you can buy lots of it
- Caching gives you the illusion of having lots of fast memory
- How do we know what data to cache?
 - Spatial locality: If the system fetched x, it is likely to fetch data located near x (Why?)
 - Temporal locality: If the system fetched x, it is likely to fetch x again (Why?)

- 4 同 6 4 日 6 4 日 6

- Two parts of moving data from here to there:
 - Getting the first bit there (latency)
 - Getting everything there (bandwidth)
- Fundamentally, theres no difference:
 - Moving data from the processor to RAM
 - Saving a file to disk
 - Downloading pirated music from a server in China

- A E N A E N

- Audio chat
- Downloading an mp3
- Streaming video (e.g., NPR broadcast over Web)

3

(日) (周) (三) (三)

- History of computing
- Computers and networks
- Concepts of Space (how big?) and Time (how fast?)

3

(日) (周) (三) (三)

- History of computing
- Computers and networks
- Concepts of Space (how big?) and Time (how fast?)

Next time

More nuts and bolts of the Web.

3

- 4 目 ト - 4 日 ト - 4 日 ト

- Not worth points
- Don't stress about it if you have any problems, we'll tackle them in class next week
- Why Chrome?
 - Obeys standards
 - In past years, seemed to be the least problematic
 - Stays current
 - Works on OS X, Windows, Linux

Discussion



What's going on here?

LBSC 690: Jordan Boyd-Graber ()

September 10, 2012 54 / 54

3

・ロト ・聞ト ・ヨト ・ヨト
Is a phone a computer?

LBSC 690: Jordan Boyd-Graber ()

Hardware and Data

September 10, 2012 55 / 54

3

・ロン ・四 ・ ・ ヨン ・ ヨン